

Recombinant Human GABBR2 293 Cell Lysate

Cat. No. GABBR2-6072HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for gamma-aminobutyric acid (GABA) B receptor, 2 (GABBR2) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

GABBR2 gamma-aminobutyric acid (GABA) B receptor, 2 [Homo sapiens]

Official Symbol

GABBR2

Synonyms

GABBR2; gamma-aminobutyric acid (GABA) B receptor, 2; G protein coupled receptor 51 , GPR51; gamma-aminobutyric acid type B receptor subunit 2; GABABR2; GPRC3B; HG20; gb2; GABA-BR2; GABA-B-R2; GABA-B receptor 2; GABA-B receptor, R2 subunit; G protein-coupled receptor 51; G-protein coupled receptor 51; gamma-aminobutyric acid B receptor 2; GPR51; HRIHFB2099; FLJ36928;

Gene ID

9568

mRNA Refseq

NM_005458

Protein Refseq

NP_005449

MIM

607340

UniProt ID

O75899

Chromosome Location

9q22.1-q22.3

Pathway

Activation of G protein gated Potassium channels, organism-specific biosystem;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Activation of GABAB receptors, organism-specific biosystem; Class C/3 (Metabotropic glutamate/pheromone receptors), organism-specific biosystem; G alpha (i) signalling events, organism-specific biosystem; G protein gated Potassium channels, organism-specific biosystem; GABA B receptor activation, organism-specific biosystem; GABA receptor activation, organism-specific biosystem;

Function

G-protein coupled GABA receptor activity; receptor activity; signal transducer activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA