

Recombinant Human FZD7 293 Cell Lysate

Cat. No. FZD7-6088HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for frizzled homolog 7 (Drosophila) (FZD7) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

FZD7 frizzled family receptor 7 [Homo sapiens]

Official Symbol

FZD7

Synonyms

FZD7; frizzled family receptor 7; frizzled (Drosophila) homolog 7 , frizzled 7, seven transmembrane spanning receptor , frizzled homolog 7 (Drosophila); frizzled-7; FzE3; fz-7; hFz7; frizzled homolog 7; Frizzled, drosophila, homolog of, 7; frizzled 7, seven transmembrane spanning receptor;

Gene ID

8324

mRNA Refseq

NM_003507

Protein Refseq

NP_003498

MIM

603410

UniProt ID

O75084

Chromosome Location

2q33

Pathway

Basal cell carcinoma, organism-specific biosystem; Basal cell carcinoma, conserved biosystem; Class B/2 (Secretin family receptors), organism-specific biosystem; GPCR ligand binding, organism-specific biosystem; HTLV-I infection, organism-specific

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

biosystem; HTLV-I infection, conserved biosystem; Melanogenesis, organism-specific biosystem;

Function

G-protein coupled receptor activity; PDZ domain binding; Wnt-activated receptor activity; Wnt-protein binding; receptor activity; signal transducer activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA