

Recombinant Human FOXA1 293 Cell Lysate

Cat. No. FOXA1-6164HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for forkhead box A1 (FOXA1) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name [FOXA1 forkhead box A1 \[Homo sapiens \]](#)

Official Symbol FOXA1

Synonyms FOXA1; forkhead box A1; hepatocyte nuclear factor 3, alpha , HNF3A; hepatocyte nuclear factor 3-alpha; HNF-3A; TCF-3A; HNF-3-alpha; forkhead box protein A1; transcription factor 3A; hepatocyte nuclear factor 3, alpha; HNF3A; TCF3A; MGC33105;

Gene ID [3169](#)

mRNA Refseq [NM_004496](#)

Protein Refseq [NP_004487](#)

MIM [602294](#)

UniProt ID [P55317](#)

Chromosome Location 14q12-q13

Pathway Direct p53 effectors, organism-specific biosystem; FOXA transcription factor networks, organism-specific biosystem; FOXA1 transcription factor network, organism-specific biosystem; FOXA2 and FOXA3 transcription factor networks, organism-specific biosystem;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Function

DNA binding; DNA binding, bending; RNA polymerase II core promoter proximal region sequence-specific DNA binding transcription factor activity involved in positive regulation of transcription; double-stranded DNA binding; protein domain specific binding; sequence-specific DNA binding; sequence-specific DNA binding transcription factor activity; sequence-specific distal enhancer binding RNA polymerase II transcription factor activity; transcription factor binding; transcription regulatory region DNA binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA