Recombinant Human FCRL4 293 Cell Lysate

Cat. No. FCRL4-6274HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview	
Species	Human
Source	HEK293
Description	Antigen standard for Fc receptor-like 4 (FCRL4) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil

Tel: 1-631-559-9269 1-516-512-3133
Email: info@creative-biomart.com Fax: 1-631-938-8127
45-1 Ramsey Road, Shirley, NY 11967, USA

	the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name	FCRL4 Fc receptor-like 4 [Homo sapiens]
Official Symbol	FCRL4
Synonyms	FCRL4; Fc receptor-like 4; Fc receptor-like protein 4; CD307d; FCRH4; IGFP2; IRTA1; hIFGP2; fcR-like protein 4; IFGP family protein 2; fc receptor homolog 4; immunoglobulin superfamily Fc receptor, gp42; immune receptor translocation-associated protein 1; immunoglobulin superfamily receptor translocation associated 1; MGC150522; MGC150523;
Gene ID	83417
mRNA Refseq	NM_031282
Protein Refseq	NP_112572
MIM	605876
UniProt ID	Q96PJ5
Chromosome Location	1q21
Function	protein binding; receptor activity;

Tel: 1-631-559-9269 1-516-512-3133
Email: info@creative-biomart.com Fax: 1-631-938-8127
45-1 Ramsey Road, Shirley, NY 11967, USA