Recombinant Human FCRL2 293 Cell Lysate

Cat. No. FCRL2-6275HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview	
Species	Human
Source	HEK293
Description	Antigen standard for Fc receptor-like 2 (FCRL2) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil

Tel: 1-631-559-9269 1-516-512-3133
Email: info@creative-biomart.com Fax: 1-631-938-8127
45-1 Ramsey Road, Shirley, NY 11967, USA

	the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name	FCRL2 Fc receptor-like 2 [Homo sapiens]
Official Symbol	FCRL2
Synonyms	FCRL2; Fc receptor-like 2; SH2 domain containing phosphatase anchor protein 1 , SPAP1; Fc receptor-like protein 2; CD307b; FCRH2; IRTA4; fcR-like protein 2; IFGP family protein 4; fc receptor homolog 2; immunoglobulin superfamily Fc receptor, gp42; SH2 domain containing phosphatase anchor protein 1; SH2 domain-containing phosphatase anchor protein 1; immune receptor translocation-associated protein 4; immunoglobulin receptor translocation-associated protein 4; IFGP4; SPAP1; SPAP1A; SPAP1B; SPAP1C;
Gene ID	79368
mRNA Refseq	NM_030764
Protein Refseq	NP_110391
MIM	606509
UniProt ID	Q96LA5
Chromosome Location	1q23.1
Function	SH3/SH2 adaptor activity; receptor activity;

Tel: 1-631-559-9269 1-516-512-3133
Email: info@creative-biomart.com Fax: 1-631-938-8127
45-1 Ramsey Road, Shirley, NY 11967, USA