

Recombinant Human FANCL 293 Cell Lysate

Cat. No. FANCL-6330HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for Fanconi anemia, complementation group L (FANCL), transcript variant 2 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

FANCL Fanconi anemia, complementation group L [Homo sapiens]

Official Symbol

FANCL

Synonyms

FANCL; Fanconi anemia, complementation group L; PHD finger protein 9 , PHF9; E3 ubiquitin-protein ligase FANCL; FAAP43; FLJ10335; Pog; PHD finger protein 9; fanconi anemia group L protein; fanconi anemia-associated polypeptide of 43 kDa; POG; PHF9;

Gene ID

55120

mRNA Refseq

NM_001114636

Protein Refseq

NP_001108108

MIM

608111

UniProt ID

Q9NW38

Chromosome Location

2p16.1

Pathway

BARD1 signaling events, organism-specific biosystem; DNA Repair, organism-specific biosystem; FA core complex, organism-specific biosystem; Fanconi Anemia pathway, organism-specific biosystem; Fanconi anemia pathway, organism-specific

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

biosystem; Fanconi anemia pathway, conserved biosystem; Ubiquitin mediated proteolysis, organism-specific biosystem;

Function

ligase activity; metal ion binding; ubiquitin-protein ligase activity; ubiquitin-protein ligase activity; zinc ion binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA