

Recombinant Human EXT2 293 Cell Lysate

Cat. No. EXT2-6496HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for exostoses (multiple) 2 (EXT2), transcript variant 1 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

EXT2 exostosin 2 [Homo sapiens]

Official Symbol

EXT2

Synonyms

EXT2; exostosin 2; exostoses (multiple) 2; exostosin-2; Glucuronosyl N acetylglucosaminyl proteoglycan 4 alpha N acetylglucosaminyltransferase; N acetylglucosaminyl proteoglycan 4 beta glucuronosyltransferase; SOTV; multiple exostoses protein 2; putative tumor suppressor protein EXT2; N-acetylglucosaminyl-proteoglycan 4-beta-glucuronosyltransferase; glucuronosyl-N-acetylglucosaminyl-proteoglycan/N-acetylglucosaminyl-proteoglycan 4-alpha-N-acetylglucosaminyltransferase;

Gene ID

2132

mRNA Refseq

NM_000401

Protein Refseq

NP_000392

MIM

608210

UniProt ID

Q93063

**Chromosome
Location**

11p12-p11

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Pathway

Glycosaminoglycan biosynthesis - heparan sulfate, organism-specific biosystem;
 Glycosaminoglycan biosynthesis - heparan sulfate, conserved biosystem;
 Glycosaminoglycan biosynthesis, heparan sulfate backbone, organism-specific biosystem;
 Glycosaminoglycan biosynthesis, heparan sulfate backbone, conserved biosystem;
 Metabolic pathways, organism-specific biosystem; heparan sulfate biosynthesis, organism-specific biosystem; heparan sulfate biosynthesis, conserved biosystem;

Function

N-acetylglucosaminyl-proteoglycan 4-beta-glucuronosyltransferase activity;
 contributes_to acetylglucosaminyltransferase activity; glucuronosyl-N-acetylglucosaminyl-proteoglycan 4-alpha-N-acetylglucosaminyltransferase activity;
 glucuronosyltransferase activity; heparan sulfate N-acetylglucosaminyltransferase activity;
 protein heterodimerization activity; NOT protein homodimerization activity;
 transferase activity, transferring glycosyl groups;