

Recombinant Human ELMO2 293 Cell Lysate

Cat. No. ELMO2-6621HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for engulfment and cell motility 2 (ELMO2), transcript variant 1 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

ELMO2 engulfment and cell motility 2 [Homo sapiens]

Official Symbol

ELMO2

Synonyms

ELMO2; engulfment and cell motility 2; engulfment and cell motility 2 (ced 12 homolog, C. elegans); engulfment and cell motility protein 2; CED 12; CED12; ELMO 2; FLJ11656; KIAA1834; hCed-12A; ced-12 homolog 2; PH domain protein CED12A; protein ced-12 homolog A; CED-12; ELMO-2;

Gene ID

63916

mRNA Refseq

NM_133171

Protein Refseq

NP_573403

MIM

606421

UniProt ID

Q96JJ3

Chromosome Location

20q13

Function

SH3 domain binding; binding; lyase activity; protein binding; receptor tyrosine kinase binding; terpene synthase activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA