

Recombinant Human EIF2C1 293 Cell Lysate

Cat. No. EIF2C1-6668HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for eukaryotic translation initiation factor 2C, 1 (EIF2C1) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name EIF2C1 eukaryotic translation initiation factor 2C, 1 [Homo sapiens]

Official Symbol EIF2C1

Synonyms EIF2C1; eukaryotic translation initiation factor 2C, 1; protein argonaute-1; AGO1; argonaute 1; hAgo1; eIF2C 1; eIF-2C 1; argonaute1; putative RNA-binding protein Q99; Golgi Endoplasmic Reticulum protein 95 kDa; Q99; EIF2C; GERP95; DKFZp686M13167;

Gene ID 26523

mRNA Refseq NM_012199

Protein Refseq NP_036331

MIM 606228

UniProt ID Q9UL18

Chromosome Location 1p34.3

Pathway Gene Expression, organism-specific biosystem; MicroRNA (miRNA) Biogenesis, organism-specific biosystem; Post-transcriptional Silencing By Small RNAs, organism-specific biosystem; Pre-NOTCH Expression and Processing, organism-

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

specific biosystem; Pre-NOTCH Transcription and Translation, organism-specific biosystem; Regulatory RNA pathways, organism-specific biosystem; Signal Transduction, organism-specific biosystem;

Function

RNA binding; nucleic acid binding; protein binding; translation initiation factor activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA