

Recombinant Human DVL3 293 Cell Lysate

Cat. No. DVL3-6764HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for dishevelled, dsh homolog 3 (Drosophila) (DVL3) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

DVL3 dishevelled, dsh homolog 3 (Drosophila) [Homo sapiens]

Official Symbol

DVL3

Synonyms

DVL3; dishevelled, dsh homolog 3 (Drosophila); dishevelled 3 (homologous to Drosophila dsh); segment polarity protein dishevelled homolog DVL-3; KIAA0208; DSH homolog 3; dishevelled-3;

Gene ID

1857

mRNA Refseq

NM_004423

Protein Refseq

NP_004414

MIM

601368

UniProt ID

Q92997

**Chromosome
Location**

3q27

Pathway

Basal cell carcinoma, organism-specific biosystem; Basal cell carcinoma, conserved biosystem; Canonical Wnt signaling pathway, organism-specific biosystem; DNA damage response (only ATM dependent), organism-specific biosystem; HTLV-I infection, organism-specific biosystem; HTLV-I infection, conserved biosystem;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Melanogenesis, organism-specific biosystem;

Function

beta-catenin binding; frizzled binding; protease binding; protein binding; protein heterodimerization activity; receptor binding; signal transducer activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA