

Recombinant Human DUSP4 293 Cell Lysate

Cat. No. DUSP4-6774HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for dual specificity phosphatase 4 (DUSP4), transcript variant 1 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

DUSP4 dual specificity phosphatase 4 [Homo sapiens]

Official Symbol

DUSP4

Synonyms

DUSP4; dual specificity phosphatase 4; dual specificity protein phosphatase 4; HVH2; MAP kinase phosphatase 2; MKP 2; TYP; VH1 homologous phosphatase 2; dual specificity protein phosphatase hVH2; serine/threonine specific protein phosphatase; mitogen-activated protein kinase phosphatase 2; MKP2; MKP-2;

Gene ID

1846

mRNA Refseq

NM_001394

Protein Refseq

NP_001385

MIM

602747

UniProt ID

Q13115

Chromosome Location

8p12-p11

Pathway

Activated TLR4 signalling, organism-specific biosystem; B Cell Receptor Signaling Pathway, organism-specific biosystem; ERK/MAPK targets, organism-specific biosystem; ERKs are inactivated, organism-specific biosystem; Immune System,

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

organism-specific biosystem; Innate Immune System, organism-specific biosystem;
MAP kinase activation in TLR cascade, organism-specific biosystem;

Function

MAP kinase tyrosine/serine/threonine phosphatase activity; hydrolase activity; protein
tyrosine phosphatase activity; protein tyrosine/threonine phosphatase activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA