Recombinant Human DRAP1 293 Cell Lysate

Cat. No. DRAP1-6819HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview	
Species	Human
Source	HEK293
Description	Antigen standard for DR1-associated protein 1 (negative cofactor 2 alpha) (DRAP1) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

Tel: 1-631-559-9269 1-516-512-3133
Email: info@creative-biomart.com Fax: 1-631-938-8127
45-1 Ramsey Road, Shirley, NY 11967, USA

Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name	DRAP1 DR1-associated protein 1 (negative cofactor 2 alpha) [Homo sapiens]
Official Symbol	DRAP1
Synonyms	DRAP1; DR1-associated protein 1 (negative cofactor 2 alpha); dr1-associated corepressor; DR1 associated corepressor; NC2 alpha; negative cofactor 2 alpha; negative co-factor 2-alpha; NC2-alpha;
Gene ID	10589
mRNA Refseq	NM_006442
Protein Refseq	NP_006433
MIM	602289
UniProt ID	Q14919
Chromosome Location	11q13
Pathway	Developmental Biology, organism-specific biosystem; Signaling by NODAL, organism-specific biosystem;
Function	DNA binding; sequence-specific DNA binding; sequence-specific DNA binding

Tel: 1-631-559-9269 1-516-512-3133
Email: info@creative-biomart.com Fax: 1-631-938-8127
45-1 Ramsey Road, Shirley, NY 11967, USA

	transcription factor activity; transcription corepressor activity; transcription factor binding;

Tel: 1-631-559-9269 1-516-512-3133
Email: info@creative-biomart.com Fax: 1-631-938-8127
45-1 Ramsey Road, Shirley, NY 11967, USA