

Recombinant Human DNMT3B 293 Cell Lysate

Cat. No. DNMT3B-6854HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for DNA (cytosine-5-)-methyltransferase 3 beta (DNMT3B), transcript variant 2 is a lysate prepared from HEK293T cells transiently transfected with a True ORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

DNMT3B DNA (cytosine-5-)-methyltransferase 3 beta [Homo sapiens]

Official Symbol

DNMT3B

Synonyms

DNMT3B; DNA (cytosine-5-)-methyltransferase 3 beta; DNA (cytosine-5)-methyltransferase 3B; DNA MTase HsaIIIB; DNA methyltransferase HsaIIIB; ICF; ICF1; M.HsaIIIB;

Gene ID

1789

mRNA Refseq

NM_001207055

Protein Refseq

NP_001193984

MIM

602900

UniProt ID

Q9UBC3

**Chromosome
Location**

20q11.2

Pathway

Cysteine and methionine metabolism, organism-specific biosystem; Cysteine and methionine metabolism, conserved biosystem; Metabolic pathways, organism-specific biosystem; Methionine degradation, organism-specific biosystem; Methionine degradation, conserved biosystem; One Carbon Metabolism, organism-specific

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

biosystem;

Function

DNA (cytosine-5-)-methyltransferase activity; DNA (cytosine-5-)-methyltransferase activity; DNA (cytosine-5-)-methyltransferase activity; DNA (cytosine-5-)-methyltransferase activity, acting on CpG substrates; DNA binding; DNA-methyltransferase activity; metal ion binding; protein binding; transcription corepressor activity; transcription corepressor activity; transferase activity; unmethylated CpG binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA