

Recombinant Human DNAJC10 293 Cell Lysate

Cat. No. DNAJC10-6880HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for DnaJ (Hsp40) homolog, subfamily C, member 10 (DNAJC10) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

[DNAJC10 DnaJ \(Hsp40\) homolog, subfamily C, member 10 \[Homo sapiens \]](#)

Official Symbol

DNAJC10

Synonyms

DNAJC10; DnaJ (Hsp40) homolog, subfamily C, member 10; dnaJ homolog subfamily C member 10; ERdj5; PDIA19; protein disulfide isomerase family A; member 19; MTHr; macrothioredoxin; ER-resident protein ERdj5; protein disulfide isomerase family A, member 19; J-domain-containing protein disulfide isomerase-like protein; JPDI; MGC104194; DKFZp434J1813;

Gene ID

[54431](#)

mRNA Refseq

[NM_018981](#)

Protein Refseq

[NP_061854](#)

MIM

[607987](#)

UniProt ID

[Q8IXB1](#)

**Chromosome
Location**

2q32.1

Pathway

Protein processing in endoplasmic reticulum, organism-specific biosystem; Protein processing in endoplasmic reticulum, conserved biosystem;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Function

ATPase activator activity; ATPase binding; chaperone binding; disulfide oxidoreductase activity; electron carrier activity; heat shock protein binding; misfolded protein binding; protein binding; protein disulfide oxidoreductase activity; unfolded protein binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA