

Recombinant Human DDX3X 293 Cell Lysate

Cat. No. DDX3X-7007HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for DEAD (Asp-Glu-Ala-Asp) box polypeptide 3, X-linked (DDX3X) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

DDX3X DEAD (Asp-Glu-Ala-Asp) box polypeptide 3, X-linked [Homo sapiens]

Official Symbol

DDX3X

Synonyms

DDX3X; DEAD (Asp-Glu-Ala-Asp) box polypeptide 3, X-linked; DDX3, DEAD/H (Asp Glu Ala Asp/His) box polypeptide 3; ATP-dependent RNA helicase DDX3X; DBX; DDX14; HLP2; CAP-Rf; DEAD/H box-3; DEAD box, X isoform; helicase like protein 2; helicase-like protein 2; DEAD box protein 3, X-chromosomal; DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 3; DDX3;

Gene ID

1654

mRNA Refseq

NM_001193416

Protein Refseq

NP_001180345

MIM

300160

UniProt ID

O00571

Chromosome Location

Xp11.3-p11.23

Pathway

RIG-I-like receptor signaling pathway, organism-specific biosystem; RIG-I-like receptor signaling pathway, conserved biosystem; TNF-alpha/NF-kB Signaling

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Pathway, organism-specific biosystem;

Function

ATP binding; ATP-dependent RNA helicase activity; DNA binding; RNA binding; helicase activity; hydrolase activity; nucleotide binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA