Recombinant Human DDX18 293 Cell Lysate

Cat. No. DDX18-7019HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview	
Species	Human
Source	HEK293
Description	Antigen standard for DEAD (Asp-Glu-Ala-Asp) box polypeptide 18 (DDX18) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

Tel: 1-631-559-9269 1-516-512-3133
Email: info@creative-biomart.com Fax: 1-631-938-8127
45-1 Ramsey Road, Shirley, NY 11967, USA

Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name	DDX18 DEAD (Asp-Glu-Ala-Asp) box polypeptide 18 [Homo sapiens]
Official Symbol	DDX18
Synonyms	DDX18; DEAD (Asp-Glu-Ala-Asp) box polypeptide 18; DEAD/H (Asp Glu Ala Asp/His) box polypeptide 18 (Myc regulated); ATP-dependent RNA helicase DDX18; MrDb; DEAD box protein 18; Myc-regulated DEAD box protein; DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 18 (Myc-regulated); FLJ33908;
Gene ID	8886
mRNA Refseq	NM_006773
Protein Refseq	NP_006764
MIM	606355
UniProt ID	Q9NVP1
Chromosome Location	2q21.2
Pathway	Validated targets of C-MYC transcriptional activation, organism-specific biosystem;
Function	ATP binding; ATP-dependent RNA helicase activity; RNA binding; helicase activity;

Tel: 1-631-559-9269 1-516-512-3133
Email: info@creative-biomart.com Fax: 1-631-938-8127
45-1 Ramsey Road, Shirley, NY 11967, USA

	hydrolase activity; nucleotide binding; protein binding;

Tel: 1-631-559-9269 1-516-512-3133
Email: info@creative-biomart.com Fax: 1-631-938-8127
45-1 Ramsey Road, Shirley, NY 11967, USA