

Recombinant Human CYR61 293 Cell Lysate

Cat. No. CYR61-7097HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for cysteine-rich, angiogenic inducer, 61 (CYR61) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

CYR61 cysteine-rich, angiogenic inducer, 61 [Homo sapiens]

Official Symbol

CYR61

Synonyms

CYR61; cysteine-rich, angiogenic inducer, 61; IGFBP10; protein CYR61; CCN1; GIG1; IBP-10; IGFBP-10; CCN family member 1; IGF-binding protein 10; cysteine-rich, anigogenic inducer, 61; cysteine-rich heparin-binding protein 61; insulin-like growth factor-binding protein 10;

Gene ID

3491

mRNA Refseq

NM_001554

Protein Refseq

NP_001545

MIM

602369

UniProt ID

O00622

Chromosome Location

1p22.3

Pathway

Hypertrophy Model, organism-specific biosystem; Regulation of Wnt-mediated beta catenin signaling and target gene transcription, organism-specific biosystem; RhoA signaling pathway, organism-specific biosystem; amb2 Integrin signaling, organism-

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	specific biosystem;
Function	extracellular matrix binding; heparin binding; insulin-like growth factor binding; integrin binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA