

Recombinant Human CYP7B1 293 Cell Lysate

Cat. No. CYP7B1-7098HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for cytochrome P450, family 7, subfamily B, polypeptide 1 (CYP7B1) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

CYP7B1 cytochrome P450, family 7, subfamily B, polypeptide 1 [Homo sapiens]

Official Symbol

CYP7B1

Synonyms

CYP7B1; cytochrome P450, family 7, subfamily B, polypeptide 1; cytochrome P450, subfamily VIIB (oxysterol 7 alpha hydroxylase), polypeptide 1 , spastic paraplegia 5A (autosomal recessive) , SPG5A; 25-hydroxycholesterol 7-alpha-hydroxylase; cytochrome P450 7B1; oxysterol 7alpha-hydroxylase; oxysterol 7-alpha-hydroxylase; cytochrome P450, subfamily VIIB (oxysterol 7 alpha-hydroxylase), polypeptide 1; CP7B; CBAS3; SPG5A;

Gene ID

9420

mRNA Refseq

NM_004820

Protein Refseq

NP_004811

MIM

603711

UniProt ID

O75881

Chromosome Location

8q21.3

Pathway

Bile acid and bile salt metabolism, organism-specific biosystem; Biological oxidations,

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

organism-specific biosystem; Cytochrome P450 - arranged by substrate type, organism-specific biosystem; Endogenous sterols, organism-specific biosystem; Metabolism, organism-specific biosystem; Metabolism of lipids and lipoproteins, organism-specific biosystem; Phase 1 - Functionalization of compounds, organism-specific biosystem;

Function

25-hydroxycholesterol 7alpha-hydroxylase activity; electron carrier activity; heme binding; metal ion binding; monooxygenase activity; oxysterol 7-alpha-hydroxylase activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA