

Recombinant Human CYP11A1 293 Cell Lysate

Cat. No. CYP11A1-7131HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species Human

Source HEK293

Description

Antigen standard for cytochrome P450, family 11, subfamily A, polypeptide 1 (CYP11A1), nuclear gene encoding mitochondrial protein, transcript variant 1 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.

Components

This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).

Size 0.1 mg

Storage Instruction

Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name CYP11A1 cytochrome P450, family 11, subfamily A, polypeptide 1 [Homo sapiens]

Official Symbol CYP11A1

Synonyms

CYP11A1; cytochrome P450, family 11, subfamily A, polypeptide 1; CYP11A, cytochrome P450, subfamily XIA (cholesterol side chain cleavage); cholesterol side-chain cleavage enzyme, mitochondrial; cholesterol monooxygenase (side chain cleaving); P450SCC; steroid 20-22-lyase; cytochrome P450 11A1; cytochrome P450(scc); cytochrome P450C11A1; cholesterol 20-22 desmolase; cholesterol monooxygenase (side-chain cleaving); cytochrome P450, subfamily XIA (cholesterol side chain cleavage); CYP11A; CYPXIA1;

Gene ID 1583

mRNA Refseq NM_000781

Protein Refseq NP_000772

MIM 118485

UniProt ID P05108

Chromosome Location 15q23-q24

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Pathway	Biological oxidations, organism-specific biosystem; Cytochrome P450 - arranged by substrate type, organism-specific biosystem; Endogenous sterols, organism-specific biosystem; Glucocorticoid andamp; Mineralcorticoid Metabolism, organism-specific biosystem; Metabolic pathways, organism-specific biosystem;
Function	cholesterol binding; cholesterol monooxygenase (side-chain-cleaving) activity; cholesterol monooxygenase (side-chain-cleaving) activity; electron carrier activity; heme binding; metal ion binding; monooxygenase activity; oxidoreductase activity, acting on paired donors, with incorporation or reduction of molecular oxygen;