

# Recombinant Human CXCR1 293 Cell Lysate

**Cat. No.** CXCR1-7164HCL    **Lot. No.** (See product label)

## SPECIFICATION

### Product Overview

**Species** Human

**Source** HEK293

### Description

Antigen standard for chemokine (C-X-C motif) receptor 1 (CXCR1) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.

### Components

This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).

**Size** 0.1 mg

### Storage Instruction

Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

**Applications**

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

**GENE INFORMATION**
**Gene Name**

CXCR1 chemokine (C-X-C motif) receptor 1 [ Homo sapiens ]

**Official Symbol**

CXCR1

**Synonyms**

CXCR1; chemokine (C-X-C motif) receptor 1; CMKAR1, IL8RA, interleukin 8 receptor, alpha; C-X-C chemokine receptor type 1; CD181; CDw128a; CKR 1; CXC-R1; CXCR-1; IL-8R A; IL-8 receptor type 1; interleukin 8 receptor, alpha; interleukin-8 receptor type 1; interleukin-8 receptor type A; high affinity interleukin-8 receptor A; C-C; CD128; CKR-1; IL8R1; IL8RA; CMKAR1; IL8RBA; C-C-CKR-1;

**Gene ID**

3577

**mRNA Refseq**

NM\_000634

**Protein Refseq**

NP\_000625

**MIM**

146929

**UniProt ID**

P25024

**Chromosome  
Location**

2q35

**Pathway**

Chemokine receptors bind chemokines, organism-specific biosystem; Chemokine signaling pathway, organism-specific biosystem; Chemokine signaling pathway,

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

conserved biosystem; Class A/1 (Rhodopsin-like receptors), organism-specific biosystem; Cytokine-cytokine receptor interaction, organism-specific biosystem; Cytokine-cytokine receptor interaction, conserved biosystem; Endocytosis, organism-specific biosystem;

**Function**

G-protein coupled receptor activity; chemokine receptor activity; interleukin-8 binding; interleukin-8 receptor activity; receptor activity; signal transducer activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA