

Recombinant Human CLOCK 293 Cell Lysate

Cat. No. CLOCK-7436HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for clock homolog (mouse) (CLOCK) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

CLOCK clock homolog (mouse) [Homo sapiens]

Official Symbol

CLOCK

Synonyms

CLOCK; clock homolog (mouse); clock (mouse) homolog; circadian locomoter output cycles protein kaput; bHLHe8; KAT13D; KIAA0334; class E basic helix-loop-helix protein 8; circadian locomoter output cycles kaput protein;

Gene ID

9575

mRNA Refseq

NM_004898

Protein Refseq

NP_004889

MIM

601851

UniProt ID

O15516

**Chromosome
Location**

4q12

Pathway

BMAL1:CLOCK/NPAS2 Activates Circadian Expression, organism-specific biosystem; Circadian Clock, organism-specific biosystem; Circadian Repression of Expression by REV-ERBA, organism-specific biosystem; Circadian rhythm - mammal, organism-specific biosystem; Circadian rhythm - mammal, conserved biosystem; Circadian

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

rhythm pathway, organism-specific biosystem; Diurnally regulated genes with circadian orthologs, organism-specific biosystem;

Function

DNA binding; E-box binding; RNA polymerase II core promoter proximal region sequence-specific DNA binding; RNA polymerase II core promoter proximal region sequence-specific DNA binding transcription factor activity; RNA polymerase II transcription factor binding transcription factor activity involved in positive regulation of transcription; histone acetyltransferase activity; sequence-specific DNA binding transcription factor activity; signal transducer activity; transferase activity, transferring acyl groups;

Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA