Recombinant Human CLEC2B 293 Cell Lysate

Cat. No. CLEC2B-7452HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview	
Species	Human
Source	HEK293
Description	Antigen standard for C-type lectin domain family 2, member B (CLEC2B) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

Tel: 1-631-559-9269 1-516-512-3133
Email: info@creative-biomart.com Fax: 1-631-938-8127
45-1 Ramsey Road, Shirley, NY 11967, USA

Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name	CLEC2B C-type lectin domain family 2, member B [Homo sapiens]
Official Symbol	CLEC2B
Synonyms	CLEC2B; C-type lectin domain family 2, member B; C type (calcium dependent, carbohydrate recognition domain) lectin, superfamily member 2 (activation induced) , CLECSF2; C-type lectin domain family 2 member B; AICL; HP10085; activation-induced C-type lectin; C-type lectin superfamily member 2; IFN-alpha2b-inducing related protein 1; IFN-alpha-2b-inducing-related protein 1; C-type (calcium dependent, carbohydrate-recognition domain) lectin, superfamily member 2 (activation-induced); IFNRG1; CLECSF2;
Gene ID	9976
mRNA Refseq	NM_005127
Protein Refseq	NP_005118
MIM	603242
UniProt ID	Q92478
Chromosome Location	12p13-p12

Tel: 1-631-559-9269 1-516-512-3133
Email: info@creative-biomart.com Fax: 1-631-938-8127
45-1 Ramsey Road, Shirley, NY 11967, USA

Function	binding; sugar binding;

Tel: 1-631-559-9269 1-516-512-3133
Email: info@creative-biomart.com Fax: 1-631-938-8127
45-1 Ramsey Road, Shirley, NY 11967, USA