

Recombinant Human CLCA2 293 Cell Lysate

Cat. No. CLCA2-7478HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species Human

Source HEK293

Description

Antigen standard for chloride channel accessory 2 (CLCA2) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.

Components

This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).

Size 0.1 mg

Storage Instruction

Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

[CLCA2 chloride channel accessory 2 \[Homo sapiens \]](#)

Official Symbol

CLCA2

Synonyms

CLCA2; chloride channel accessory 2; chloride channel regulator 2 , chloride channel, calcium activated, family member 2; calcium-activated chloride channel regulator 2; CLCRG2; hCLCA2; hCaCC-3; chloride channel regulator 2; calcium-activated chloride channel-2; calcium-activated chloride channel protein 3; CLCA family member 2, chloride channel regulator; calcium-activated chloride channel family member 2; chloride channel, calcium activated, family member 2; CACC; CACC3; CaCC-3; FLJ97885;

Gene ID

[9635](#)

mRNA Refseq

[NM_006536](#)

Protein Refseq

[NP_006527](#)

MIM

[604003](#)

UniProt ID

[Q9UQC9](#)

**Chromosome
Location**

1p22.3

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Pathway	Alpha6-Beta4 Integrin Signaling Pathway, organism-specific biosystem; Olfactory transduction, organism-specific biosystem; Olfactory transduction, conserved biosystem; Pancreatic secretion, organism-specific biosystem; Pancreatic secretion, conserved biosystem;
Function	chloride channel activity; ligand-gated ion channel activity;

Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA