

Recombinant Human CHRNA1 293 Cell Lysate

Cat. No. CHRNA1-7517HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for cholinergic receptor, nicotinic, alpha 1 (muscle) (CHRNA1), transcript variant 1 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name [CHRNA1 cholinergic receptor, nicotinic, alpha 1 \(muscle\) \[Homo sapiens \]](#)

Official Symbol CHRNA1

Synonyms CHRNA1; cholinergic receptor, nicotinic, alpha 1 (muscle); cholinergic receptor, nicotinic, alpha polypeptide 1 (muscle) , CHRNA; acetylcholine receptor subunit alpha; acetylcholine receptor; nicotinic; alpha 1 (muscle); nicotinic cholinergic receptor alpha 1; muscle nicotinic acetylcholine receptor; nicotinic acetylcholine receptor alpha subunit; acetylcholine receptor, nicotinic, alpha 1 (muscle); cholinergic receptor, nicotinic, alpha polypeptide 1 (muscle); ACHRA; ACHRD; CHRNA; CMS2A; FCCMS; SCCMS;

Gene ID [1134](#)

mRNA Refseq [NM_000079](#)

Protein Refseq [NP_000070](#)

MIM [100690](#)

UniProt ID [P02708](#)

Chromosome Location 2q31.1

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Pathway

Acetylcholine Binding And Downstream Events, organism-specific biosystem; Activation of Nicotinic Acetylcholine Receptors, organism-specific biosystem; Effects of Botulinum toxin, organism-specific biosystem; ErbB2/ErbB3 signaling events, organism-specific biosystem; Highly calcium permeable nicotinic acetylcholine receptors, organism-specific biosystem; Highly calcium permeable postsynaptic nicotinic acetylcholine receptors, organism-specific biosystem; Neuroactive ligand-receptor interaction, organism-specific biosystem;

Function

contributes_to acetylcholine binding; contributes_to acetylcholine receptor activity; acetylcholine-activated cation-selective channel activity; contributes_to acetylcholine-activated cation-selective channel activity; extracellular ligand-gated ion channel activity; ion channel activity; receptor activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA