

Recombinant Human CHMP2A 293 Cell Lysate

Cat. No. CHMP2A-7532HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for chromatin modifying protein 2A (CHMP2A), transcript variant 2 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

CHMP2A charged multivesicular body protein 2A [Homo sapiens]

Official Symbol

CHMP2A

Synonyms

CHMP2A; charged multivesicular body protein 2A; chromatin modifying protein 2A; charged multivesicular body protein 2a; BC 2; CHMP2; putative breast adenocarcinoma marker (32kD); VPS2; VPS2 homolog A (S. cerevisiae); VPS2A; vps2-1; hVps2-1; VPS2 homolog A; chromatin-modifying protein 2a; putative breast adenocarcinoma marker BC-2; vacuolar protein sorting-associated protein 2-1; BC2; BC-2;

Gene ID

27243

mRNA Refseq

NM_014453

Protein Refseq

NP_055268

MIM

610893

UniProt ID

O43633

**Chromosome
Location**

19q13.43

Pathway

ESCRT-III complex, organism-specific biosystem; Endocytosis, organism-specific

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

biosystem; Endocytosis, conserved biosystem; Endosomal Sorting Complex Required For Transport (ESCRT), organism-specific biosystem; Membrane Trafficking, organism-specific biosystem;

Function

protein domain specific binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA