

Recombinant Human CDKN1A 293 Cell Lysate

Cat. No. CDKN1A-7618HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for cyclin-dependent kinase inhibitor 1A (p21, Cip1) (CDKN1A), transcript variant 2 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

CDKN1A cyclin-dependent kinase inhibitor 1A (p21, Cip1) [Homo sapiens]

Official Symbol

CDKN1A

Synonyms

CDKN1A; cyclin-dependent kinase inhibitor 1A (p21, Cip1); CDKN1; cyclin-dependent kinase inhibitor 1; CAP20; CIP1; P21; p21CIP1; p21Cip1/Waf1; SDI1; WAF1; DNA synthesis inhibitor; CDK-interacting protein 1; CDK-interaction protein 1; wild-type p53-activated fragment 1; melanoma differentiation associated protein 6; MDA-6;

Gene ID

1026

mRNA Refseq

NM_000389

Protein Refseq

NP_000380

MIM

116899

UniProt ID

P38936

Chromosome Location

6p21.1

Pathway

AKT phosphorylates targets in the cytosol, organism-specific biosystem; AMPK signaling, organism-specific biosystem; Adaptive Immune System, organism-specific biosystem; Adipogenesis, organism-specific biosystem; Alpha6-Beta4 Integrin

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Signaling Pathway, organism-specific biosystem; Angiopoietin receptor Tie2-mediated signaling, organism-specific biosystem; Bladder cancer, organism-specific biosystem;

Function

cyclin binding; cyclin-dependent protein kinase activating kinase activity; cyclin-dependent protein kinase activity; cyclin-dependent protein kinase activity; cyclin-dependent protein kinase inhibitor activity; kinase activity; metal ion binding; protein binding; protein kinase inhibitor activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA