# Recombinant Human CCBP2 293 Cell Lysate

**Cat. No.** CCBP2-7795HCL **Lot. No.** (See product label)

## SPECIFICATION

| | |
|---|---|
| **Product Overview** | |
| **Species** | Human |
| **Source** | HEK293 |
| **Description** | Antigen standard for chemokine binding protein 2 (CCBP2) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection. |
| **Components** | This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol). |
| **Size** | 0.1 mg |
| **Storage Instruction** | Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment. |

Tel: 1-631-559-9269 1-516-512-3133
Email: info@creative-biomart.com Fax: 1-631-938-8127
45-1 Ramsey Road, Shirley, NY 11967, USA

| | |
|---|---|
| **Applications** | ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane. |

## GENE INFORMATION

| | |
|---|---|
| **Gene Name** | CCBP2 chemokine binding protein 2 [ Homo sapiens ] |
| **Official Symbol** | CCBP2 |
| **Synonyms** | CCBP2; chemokine binding protein 2; CMKBR9; chemokine-binding protein 2; CCR9; CCR10; D6; chemokine receptor D6; chemokine receptor CCR-9; C-C chemokine receptor D6; chemokine receptor CCR-10; chemokine (C-C) receptor 9; chemokine-binding protein D6; chemokine (C-C motif) receptor 9; CC-chemokine-binding receptor JAB61; hD6; MGC126678; MGC138250; |
| **Gene ID** | 1238 |
| **mRNA Refseq** | NM_001296 |
| **Protein Refseq** | NP_001287 |
| **MIM** | 602648 |
| **UniProt ID** | O00590 |
| **Chromosome Location** | 3p21.3 |
| **Pathway** | Chemokine receptors bind chemokines, organism-specific biosystem; Class A/1 (Rhodopsin-like receptors), organism-specific biosystem; GPCR ligand binding, |

Tel: 1-631-559-9269 1-516-512-3133
Email: info@creative-biomart.com Fax: 1-631-938-8127
45-1 Ramsey Road, Shirley, NY 11967, USA

| | |
|---|---|
| | organism-specific biosystem; GPCRs, Class A Rhodopsin-like, organism-specific biosystem; Peptide ligand-binding receptors, organism-specific biosystem; Signal Transduction, organism-specific biosystem; Signaling by GPCR, organism-specific biosystem; |
| **Function** | C-C chemokine binding; C-X-C chemokine receptor activity; G-protein coupled receptor activity; chemokine receptor activity; receptor activity; signal transducer activity; |

Tel: 1-631-559-9269 1-516-512-3133
Email: info@creative-biomart.com Fax: 1-631-938-8127
45-1 Ramsey Road, Shirley, NY 11967, USA