

Recombinant Human B3GNT3 293 Cell Lysate

Cat. No. B3GNT3-8543HCL Lot. No. (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for UDP-GlcNAc:betaGal beta-1,3-N-acetylglucosaminyltransferase 3 (B3GNT3) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

B3GNT3 UDP-GlcNAc:betaGal beta-1,3-N-acetylglucosaminyltransferase 3 [Homo sapiens]

Official Symbol

B3GNT3

Synonyms

B3GNT3; UDP-GlcNAc:betaGal beta-1,3-N-acetylglucosaminyltransferase 3; TMEM3; B3GN T3; B3GNT 3; beta 1; 3 N acetylglucosaminyltransferase bGnT 3; beta3Gn T3; HP10328; putative type II membrane protein; transmembrane protein 3; beta3GalT8; beta-3-Gx-T8; beta-1,3-Gn-T3; beta-1,3-GalTase 8; core1-beta3GlcNAcT; beta-1,3-N-acetylglucosaminyltransferase bGnT-3; UDP-Gal:beta-GlcNAc beta-1,3-galactosyltransferase 8; core 1 extending beta-1,3-N-acetylglucosaminyltransferase; UDP-galactose:beta-N-acetylglucosamine beta-1,3-galactosyltransferase 8; B3GN-T3; B3GNT-3; B3GAL-T8; beta3Gn-T3;

Gene ID

10331

mRNA Refseq

NM_014256

Protein Refseq

NP_055071

MIM

605863

UniProt ID

Q9Y2A9

Chromosome

19p13.1

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Location	
Pathway	Glycosphingolipid biosynthesis - lacto and neolacto series, organism-specific biosystem; Glycosphingolipid biosynthesis - lacto and neolacto series, conserved biosystem; Metabolic pathways, organism-specific biosystem; Metabolism of proteins, organism-specific biosystem; O-linked glycosylation of mucins, organism-specific biosystem; Post-translational protein modification, organism-specific biosystem;
Function	galactosyltransferase activity; transferase activity, transferring glycosyl groups;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA