

Recombinant Human ATP5I 293 Cell Lysate

Cat. No. ATP5I-8598HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species Human

Source HEK293

Description

Antigen standard for ATP synthase, H⁺ transporting, mitochondrial F₀ complex, subunit E (ATP5I), nuclear gene encoding mitochondrial protein is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.

Components

This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).

Size 0.1 mg

Storage Instruction

Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

ATP5I ATP synthase, H⁺ transporting, mitochondrial Fo complex, subunit E [Homo sapiens]

Official Symbol

ATP5I

Synonyms

ATP5I; ATP synthase, H⁺ transporting, mitochondrial Fo complex, subunit E; ATP synthase, H⁺ transporting, mitochondrial F0 complex, subunit e , ATP synthase, H⁺ transporting, mitochondrial F0 complex, subunit E; ATP synthase subunit e, mitochondrial; ATPase subunit e; ATP synthase e chain, mitochondrial; F1F0-ATP synthase, murine e subunit; ATP synthase, H⁺ transporting, mitochondrial F0 complex, subunit E; ATP5K; MGC12532;

Gene ID

521

mRNA Refseq

NM_007100

Protein Refseq

NP_009031

MIM

601519

UniProt ID

P56385

Chromosome Location

4p16.3

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Pathway

Electron Transport Chain, organism-specific biosystem; F-type ATPase, eukaryotes, organism-specific biosystem; Formation of ATP by chemiosmotic coupling, organism-specific biosystem; Metabolic pathways, organism-specific biosystem; Metabolism, organism-specific biosystem; Oxidative phosphorylation, organism-specific biosystem; Oxidative phosphorylation, organism-specific biosystem;

Function

contributes_to ATPase activity; hydrogen ion transmembrane transporter activity; transmembrane transporter activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA