

Recombinant Human ATG7 293 Cell Lysate

Cat. No. ATG7-8621HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for ATG7 autophagy related 7 homolog (<i>S. cerevisiae</i>) (ATG7), transcript variant 1 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

ATG7 ATG7 autophagy related 7 homolog (S. cerevisiae) [Homo sapiens]

Official Symbol

ATG7

Synonyms

ATG7; ATG7 autophagy related 7 homolog (S. cerevisiae); APG7 autophagy 7 like (S. cerevisiae) , APG7L; ubiquitin-like modifier-activating enzyme ATG7; DKFZp434N0735; GSA7; hAGP7; autophagy-related protein 7; ATG12-activating enzyme E1 ATG7; ubiquitin activating enzyme E1-like protein; ubiquitin-activating enzyme E1-like protein; APG7L; APG7-LIKE;

Gene ID

10533

mRNA Refseq

NM_001136031

Protein Refseq

NP_001129503

MIM

608760

UniProt ID

O95352

Chromosome Location

3p25.3-p25.2

Pathway

Adaptive Immune System, organism-specific biosystem; Antigen processing: Ubiquitination and Proteasome degradation, organism-specific biosystem; Class I

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

MHC mediated antigen processing & presentation, organism-specific biosystem;
Immune System, organism-specific biosystem; Regulation of autophagy, organism-specific biosystem;

Function

APG12 activating enzyme activity; catalytic activity; nucleotide binding; protein binding; protein homodimerization activity; ubiquitin activating enzyme activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA