

Recombinant Human ARID3A 293 Cell Lysate

Cat. No. ARID3A-8727HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for AT rich interactive domain 3A (BRIGHT-like) (ARID3A) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

ARID3A AT rich interactive domain 3A (BRIGHT-like) [Homo sapiens]

Official Symbol

ARID3A

Synonyms

ARID3A; AT rich interactive domain 3A (BRIGHT-like); AT rich interactive domain 3A (BRIGHT like) , dead ringer like 1 (Drosophila) , DRIL1; AT-rich interactive domain-containing protein 3A; BRIGHT; dead ringer-like 1; E2F-binding protein 1; ARID domain-containing 3A; dead ringer-like protein 1; ARID domain-containing protein 3A; B-cell regulator of IgH transcription; AT rich interactive domain 3A (BRIGHT- like) protein; DRIL1; DRIL3; E2FBP1;

Gene ID

1820

mRNA Refseq

NM_005224

Protein Refseq

NP_005215

MIM

603265

UniProt ID

Q99856

Chromosome Location

19p13.3

Pathway

Direct p53 effectors, organism-specific biosystem;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Function

DNA binding; protein homodimerization activity; sequence-specific DNA binding
transcription factor activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA