Recombinant Human AR 293 Cell Lysate

Cat. No. AR-8764HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview	
Species	Human
Source	HEK293
Description	Antigen standard for androgen receptor (AR), transcript variant 2 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

Tel: 1-631-559-9269 1-516-512-3133
Email: info@creative-biomart.com Fax: 1-631-938-8127
45-1 Ramsey Road, Shirley, NY 11967, USA

Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name	AR androgen receptor [Homo sapiens]
Official Symbol	AR
Synonyms	AR; androgen receptor; DHTR, dihydrotestosterone receptor , SBMA, spinal and bulbar muscular atrophy; AIS; HUMARA; Kennedy disease; NR3C4; SMAX1; testicular feminization; dihydrotestosterone receptor; androgen nuclear receptor variant 2; nuclear receptor subfamily 3 group C member 4; KD; TFM; DHTR; SBMA; HYSP1;
Gene ID	367
mRNA Refseq	NM_000044
Protein Refseq	NP_000035
MIM	313700
UniProt ID	P10275
Chromosome Location	Xq12
Pathway	Alpha6-Beta4 Integrin Signaling Pathway, organism-specific biosystem; Androgen Receptor Signaling Pathway, organism-specific biosystem; Coregulation of Androgen

Tel: 1-631-559-9269 1-516-512-3133
Email: info@creative-biomart.com Fax: 1-631-938-8127
45-1 Ramsey Road, Shirley, NY 11967, USA

	receptor activity, organism-specific biosystem; FOXA1 transcription factor network, organism-specific biosystem; Gene Expression, organism-specific biosystem; Generic Transcription Pathway, organism-specific biosystem; IL-6 Signaling Pathway, organism-specific biosystem;
Function	DNA binding; DNA binding; POU domain binding; androgen binding; androgen receptor activity; androgen receptor activity; androgen receptor activity; androgen receptor activity; androgen receptor activity; androgen receptor binding; beta-catenin binding; beta-catenin binding; beta-catenin binding; chromatin binding; enzyme binding; ligand-activated sequence-specific DNA binding RNA polymerase II transcription factor activity; metal ion binding; protein binding; protein dimerization activity; receptor activity; receptor binding; sequence-specific DNA binding; sequence-specific DNA binding transcription factor activity; steroid binding; transcription factor binding; transcription regulatory region DNA binding; zinc ion binding;

Tel: 1-631-559-9269 1-516-512-3133
Email: info@creative-biomart.com Fax: 1-631-938-8127
45-1 Ramsey Road, Shirley, NY 11967, USA