

Recombinant Human ALKBH2 293 Cell Lysate

Cat. No. ALKBH2-8902HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for alkB, alkylation repair homolog 2 (E. coli) (ALKBH2), transcript variant 2 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

ALKBH2 alkB, alkylation repair homolog 2 (E. coli) [Homo sapiens]

Official Symbol

ALKBH2

Synonyms

ALKBH2; alkB, alkylation repair homolog 2 (E. coli); alpha-ketoglutarate-dependent dioxygenase alkB homolog 2; ABH2; MGC90512; oxy DC1; 2OG-Fe(II) oxy DC1; alkylated DNA repair protein alkB homolog 2; FLJ99103;

Gene ID

121642

mRNA Refseq

NM_001001655

Protein Refseq

NP_001001655

MIM

610602

UniProt ID

Q6NS38

**Chromosome
Location**

12q24.11

Pathway

ABH2 mediated Reversal of Alkylation Damage, organism-specific biosystem; DNA Damage Reversal, organism-specific biosystem; DNA Repair, organism-specific biosystem; Reversal of Alkylation Damage By DNA Dioxygenases, organism-specific biosystem;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Function

DNA-N1-methyladenine dioxygenase activity; cytosine C-5 DNA demethylase activity; cytosine C-5 DNA demethylase activity; ferrous iron binding; metal ion binding; oxidoreductase activity; oxidoreductase activity, acting on single donors with incorporation of molecular oxygen, incorporation of two atoms of oxygen;

Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA