

Recombinant Human ALDH7A1 293 Cell Lysate

Cat. No. ALDH7A1-8915HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for aldehyde dehydrogenase 7 family, member A1 (ALDH7A1) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

[ALDH7A1 aldehyde dehydrogenase 7 family, member A1 \[Homo sapiens \]](#)

Official Symbol

ALDH7A1

Synonyms

ALDH7A1; aldehyde dehydrogenase 7 family, member A1; ATQ1; alpha-aminoadipic semialdehyde dehydrogenase; 26g turgor protein homolog; alpha AASA dehydrogenase; alpha aminoadipic semialdehyde dehydrogenase; antiquitin 1; delta1 piperidine 6 carboxylate dehydrogenase; EPD; P6c dehydrogenase; PDE; antiquitin-1; alpha-AASA dehydrogenase; betaine aldehyde dehydrogenase; delta1-piperidine-6-carboxylate dehydrogenase; FLJ11738; FLJ92814;

Gene ID

[501](#)

mRNA Refseq

[NM_001182](#)

Protein Refseq

[NP_001173](#)

MIM

[107323](#)

UniProt ID

[P49419](#)

Chromosome Location

5q31

Pathway

Arginine and proline metabolism, organism-specific biosystem; Arginine and proline

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



metabolism, conserved biosystem; Ascorbate and aldarate metabolism, organism-specific biosystem; Ascorbate and aldarate metabolism, conserved biosystem; Fatty acid metabolism, organism-specific biosystem; Fatty acid metabolism, conserved biosystem; GABA biosynthesis, eukaryotes, putrescine =>

Function

L-aminoadipate-semialdehyde dehydrogenase activity; aldehyde dehydrogenase (NAD) activity; betaine-aldehyde dehydrogenase activity; oxidoreductase activity; protein binding;

Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA