

Recombinant Human ADAMTS3 293 Cell Lysate

Cat. No. ADAMTS3-9030HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for ADAM metalloproteinase with thrombospondin type 1 motif, 3 (ADAMTS3) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name ADAMTS3 ADAM metallopeptidase with thrombospondin type 1 motif, 3 [Homo sapiens]

Official Symbol ADAMTS3

Synonyms ADAMTS3; ADAM metallopeptidase with thrombospondin type 1 motif, 3; a disintegrin like and metalloprotease (reprolysin type) with thrombospondin type 1 motif, 3; A disintegrin and metalloproteinase with thrombospondin motifs 3; ADAMTS 4; KIAA0366; ADAM-TS3; ADAMTS-3; PC II-NP; ADAM-TS 3; zinc metalloendopeptidase; procollagen II N-proteinase; procollagen II amino propeptide-processing enzyme; a disintegrin-like and metalloprotease (reprolysin type) with thrombospondin type 1 motif, 3; ADAMTS-4;

Gene ID 9508

mRNA Refseq NM_014243

Protein Refseq NP_055058

MIM 605011

UniProt ID O15072

Chromosome Location 4q21

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Function

heparin binding; metal ion binding; metalloendopeptidase activity; peptidase activity;
zinc ion binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA