

Recombinant Human ACSL5 293 Cell Lysate

Cat. No. ACSL5-9073HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species Human

Source HEK293

Description Antigen standard for acyl-CoA synthetase long-chain family member 5 (ACSL5), transcript variant 1 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.

Components This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).

Size 0.1 mg

Storage Instruction Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

ACSL5 acyl-CoA synthetase long-chain family member 5 [Homo sapiens]

Official Symbol

ACSL5

Synonyms

ACSL5; acyl-CoA synthetase long-chain family member 5; FACL5, fatty acid Coenzyme A ligase, long chain 5; long-chain-fatty-acid--CoA ligase 5; ACS2; ACS5; FACL5 for fatty acid coenzyme A ligase 5; fatty acid Coenzyme A ligase; long chain 5; long chain acyl CoA synthetase 5; long chain fatty acid coenzyme A ligase 5; LACS 5; fatty acid coenzyme A ligase 5; long-chain acyl-CoA synthetase 5; long-chain fatty acid coenzyme A ligase 5; fatty-acid-Coenzyme A ligase, long-chain 5; FACL5;

Gene ID

51703

mRNA Refseq

NM_016234

Protein Refseq

NP_057318

MIM

605677

UniProt ID

Q9ULC5

Chromosome Location

10q25.1-q25.2

Pathway

Adipocytokine signaling pathway, organism-specific biosystem; Adipocytokine

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

signaling pathway, conserved biosystem; Fatty Acid Beta Oxidation, organism-specific biosystem; Fatty Acid Biosynthesis, organism-specific biosystem; Fatty Acyl-CoA Biosynthesis, organism-specific biosystem; Fatty acid metabolism, organism-specific biosystem; Fatty acid metabolism, conserved biosystem;

Function

ATP binding; ligase activity; long-chain fatty acid-CoA ligase activity; nucleotide binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA