

Recombinant Human ACAT2 293 Cell Lysate

Cat. No. ACAT2-9108HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for acetyl-Coenzyme A acetyltransferase 2 (ACAT2) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

ACAT2 acetyl-CoA acetyltransferase 2 [Homo sapiens]

Official Symbol

ACAT2

Synonyms

ACAT2; acetyl-CoA acetyltransferase 2; acetyl Coenzyme A acetyltransferase 2 , acetyl Coenzyme A acetyltransferase 2 (acetoacetyl Coenzyme A thiolase); acetyl-CoA acetyltransferase, cytosolic; acetoacetyl Coenzyme A thiolase; cytosolic acetoacetyl-CoA thiolase; acetyl-CoA transferase-like protein;

Gene ID

39

mRNA Refseq

NM_005891

Protein Refseq

NP_005882

MIM

100678

UniProt ID

Q9BWD1

Chromosome Location

6q25.3-q26

Pathway

Butanoate metabolism, organism-specific biosystem; Butanoate metabolism, conserved biosystem; C5 isoprenoid biosynthesis, mevalonate pathway, organism-specific biosystem; C5 isoprenoid biosynthesis, mevalonate pathway, conserved

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

biosystem; Fat digestion and absorption, organism-specific biosystem; Fat digestion and absorption, conserved biosystem; Fatty acid metabolism, organism-specific biosystem;

Function

acetyl-CoA C-acetyltransferase activity; transferase activity, transferring acyl groups other than amino-acyl groups;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA