

Recombinant Human ACADVL 293 Cell Lysate

Cat. No. ACADVL-9111HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for acyl-Coenzyme A dehydrogenase, very long chain (ACADVL), nuclear gene encoding mitochondrial protein, transcript variant 2 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

ACADVL acyl-CoA dehydrogenase, very long chain [Homo sapiens]

Official Symbol

ACADVL

Synonyms

ACADVL; acyl-CoA dehydrogenase, very long chain; acyl Coenzyme A dehydrogenase, very long chain; very long-chain specific acyl-CoA dehydrogenase, mitochondrial; ACAD6; LCACD; VLCAD; acyl-Coenzyme A dehydrogenase, very long chain;

Gene ID

37

mRNA Refseq

NM_000018

Protein Refseq

NP_000009

MIM

609575

UniProt ID

P49748

Chromosome Location

17p13.1

Pathway

Activation of Chaperone Genes by XBP1(S), organism-specific biosystem; Activation of Chaperones by IRE1alpha, organism-specific biosystem; Beta oxidation of palmitoyl-CoA to myristoyl-CoA, organism-specific biosystem; Diabetes pathways,

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

organism-specific biosystem; Disease, organism-specific biosystem; FOXA2 and FOXA3 transcription factor networks, organism-specific biosystem; Fatty Acid Beta Oxidation, organism-specific biosystem;

Function

acyl-CoA dehydrogenase activity; fatty-acyl-CoA binding; flavin adenine dinucleotide binding; long-chain-acyl-CoA dehydrogenase activity; very-long-chain-acyl-CoA dehydrogenase activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA