

# Recombinant Human ACADM 293 Cell Lysate

**Cat. No.** ACADM-9114HCL    **Lot. No.** (See product label)

## SPECIFICATION

### Product Overview

**Species** Human

**Source** HEK293

### Description

Antigen standard for acyl-Coenzyme A dehydrogenase, C-4 to C-12 straight chain (ACADM), nuclear gene encoding mitochondrial protein, transcript variant 1 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.

### Components

This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).

**Size** 0.1 mg

### Storage Instruction

Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

**Applications**

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

**GENE INFORMATION**
**Gene Name**

ACADM acyl-CoA dehydrogenase, C-4 to C-12 straight chain [ Homo sapiens ]

**Official Symbol**

ACADM

**Synonyms**

ACADM; acyl-CoA dehydrogenase, C-4 to C-12 straight chain; acyl Coenzyme A dehydrogenase, C 4 to C 12 straight chain; medium-chain specific acyl-CoA dehydrogenase, mitochondrial; ACAD1; MCAD; MCADH; acyl-Coenzyme A dehydrogenase, C-4 to C-12 straight chain;

**Gene ID**

34

**mRNA Refseq**

NM\_000016

**Protein Refseq**

NP\_000007

**MIM**

607008

**UniProt ID**

P11310

**Chromosome Location**

1p31

**Pathway**

Beta oxidation of decanoyl-CoA to octanoyl-CoA-CoA, organism-specific biosystem; Beta oxidation of octanoyl-CoA to hexanoyl-CoA, organism-specific biosystem; FOXA2 and FOXA3 transcription factor networks, organism-specific biosystem; Fatty

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Acid Beta Oxidation, organism-specific biosystem; Fatty acid metabolism, organism-specific biosystem; Fatty acid metabolism, conserved biosystem; Fatty acid, triacylglycerol, and ketone body metabolism, organism-specific biosystem;

**Function**

acryloyl-CoA reductase activity; acyl-CoA dehydrogenase activity; acyl-CoA dehydrogenase activity; acyl-CoA dehydrogenase activity; acyl-CoA dehydrogenase activity; flavin adenine dinucleotide binding; identical protein binding; medium-chain-acyl-CoA dehydrogenase activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA