

Recombinant Human ACAA2 293 Cell Lysate

Cat. No. ACAA2-9118HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species Human

Source HEK293

Description Antigen standard for acetyl-Coenzyme A acyltransferase 2 (ACAA2), nuclear gene encoding mitochondrial protein is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.

Components This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).

Size 0.1 mg

Storage Instruction Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

ACAA2 acetyl-CoA acyltransferase 2 [Homo sapiens]

Official Symbol

ACAA2

Synonyms

ACAA2; acetyl-CoA acyltransferase 2; acetyl Coenzyme A acyltransferase 2; 3-ketoacyl-CoA thiolase, mitochondrial; DSAEC; mitochondrial 3 oxoacyl Coenzyme A thiolase; T1; beta ketothiolase; beta-ketothiolase; acetyl-Coenzyme A acyltransferase 2; mitochondrial 3-oxoacyl-CoA thiolase; mitochondrial 3-oxoacyl-Coenzyme A thiolase; FLJ35992; FLJ95265;

Gene ID

10449

mRNA Refseq

NM_006111

Protein Refseq

NP_006102

MIM

604770

UniProt ID

P42765

**Chromosome
Location**

18q21

Pathway

Fatty Acid Biosynthesis, organism-specific biosystem; Fatty acid biosynthesis, elongation, mitochondria, organism-specific biosystem; Fatty acid biosynthesis,

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

elongation, mitochondria, conserved biosystem; Fatty acid elongation, organism-specific biosystem; Fatty acid elongation, conserved biosystem; Fatty acid metabolism, organism-specific biosystem; Fatty acid metabolism, conserved biosystem;

Function

acetyl-CoA C-acyltransferase activity; protein binding; transferase activity, transferring acyl groups other than amino-acyl groups;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA