

Recombinant Human ABI2 293 Cell Lysate

Cat. No. ABI2-9127HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for abl-interactor 2 (ABI2) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name	ABI2 abl-interactor 2 [Homo sapiens]
Official Symbol	ABI2
Synonyms	ABI2; abl-interactor 2; abl interactor 2; ABI 2; ABI2B; AbIBP3; AIP 1; argBP1A; SSH3BP2; argBP1; abelson interactor 2; abl binding protein 3; abl-binding protein 3; arg-binding protein 1; abl-interactor protein 2b; arg protein tyrosine kinase-binding protein; abl-interacting protein 1 (SH3-containing protein); ABI-2; AIP-1; argBPIB;
Gene ID	10152
mRNA Refseq	NM_005759
Protein Refseq	NP_005750
MIM	606442
UniProt ID	Q9NYB9
Chromosome Location	2q33
Pathway	RAC1 signaling pathway, organism-specific biosystem; Regulation of Actin Cytoskeleton, organism-specific biosystem; Regulation of actin cytoskeleton, organism-specific biosystem; Regulation of actin cytoskeleton, conserved biosystem;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Function

DNA binding; SH3 domain binding; SH3 domain binding; cytoskeletal adaptor activity; kinase binding; proline-rich region binding; ubiquitin protein ligase binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA