

Recombinant Human ZRSR2 293 Cell Lysate

Cat. No. ZRSR2-9189HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for zinc finger (CCCH type), RNA-binding motif and serine/arginine rich 2 (ZRSR2) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

ZRSR2 zinc finger (CCCH type), RNA-binding motif and serine/arginine rich 2 [Homo sapiens]

Official Symbol

ZRSR2

Synonyms

ZRSR2; zinc finger (CCCH type), RNA-binding motif and serine/arginine rich 2; U2 small nuclear RNA auxiliary factor 1 like 2 , U2(RNU2) small nuclear RNA auxiliary factor 1 like 2 , U2AF1L2; U2 small nuclear ribonucleoprotein auxiliary factor 35 kDa subunit-related protein 2; U2AF1 RS2; URP; U2AF35-related protein; renal carcinoma antigen NY-REN-20; U2(RNU2) small nuclear RNA auxiliary factor 1-like 2; U2 small nuclear ribonucleoprotein auxiliary factor, small subunit 2; CCCH type zinc finger, RNA-binding motif and serine/arginine rich protein 2; U2AF1L2; U2AF1RS2; U2AF1-RS2; MGC142014; MGC142040;

Gene ID

8233

mRNA Refseq

NM_005089

Protein Refseq

NP_005080

MIM

300028

UniProt ID

Q15696

Chromosome

Xp22.1

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Location**Function**

RNA binding; metal ion binding; nucleotide binding; pre-mRNA 3-splice site binding; protein binding; zinc ion binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA