

Recombinant Human ADH5 cell lysate

Cat. No. ADH5-30HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Description	This gene encodes a member of the alcohol dehydrogenase family. Members of this family metabolize a wide variety of substrates, including ethanol, retinol, other aliphatic alcohols, hydroxysteroids, and lipid peroxidation products. The encoded protein forms a homodimer. It has virtually no activity for ethanol oxidation, but exhibits high activity for oxidation of long-chain primary alcohols and for oxidation of S-hydroxymethyl-glutathione, a spontaneous adduct between formaldehyde and glutathione. This enzyme is an important component of cellular metabolism for the elimination of formaldehyde, a potent irritant and sensitizing agent that causes lacrymation, rhinitis, pharyngitis, and contact dermatitis. The human genome contains several non-transcribed pseudogenes related to this gene.
Size	100 ul
Storage Buffer	1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)
Applications	Western Blot;

GENE INFORMATION

Gene Name	ADH5 alcohol dehydrogenase 5 (class III), chi polypeptide [Homo sapiens]
------------------	--

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Official Symbol	ADH5
Synonyms	ADH5; alcohol dehydrogenase 5 (class III), chi polypeptide; FDH, formaldehyde dehydrogenase; alcohol dehydrogenase class-3; ADH 3; ADHX; formaldehyde dehydrogenase; alcohol dehydrogenase class-III; alcohol dehydrogenase class chi chain; S-(hydroxymethyl)glutathione dehydrogenase; glutathione-dependent formaldehyde dehydrogenase; alcohol dehydrogenase (class III), chi polypeptide; FDH; ADH-3; FALDH; GSNOR; GSH-FDH;
Gene ID	128
mRNA Refseq	NM_000671
Protein Refseq	NP_000662
MIM	103710
UniProt ID	P11766
Chromosome Location	4q23
Pathway	Drug metabolism - cytochrome P450, organism-specific biosystem; Drug metabolism - cytochrome P450, conserved biosystem; Fatty acid metabolism, organism-specific biosystem; Fatty acid metabolism, conserved biosystem; Glycolysis / Gluconeogenesis, organism-specific biosystem; Glycolysis / Gluconeogenesis, conserved biosystem; Metabolic pathways, organism-specific biosystem;
Function	S-(hydroxymethyl)glutathione dehydrogenase activity; alcohol dehydrogenase (NAD) activity; electron carrier activity; fatty acid binding; formaldehyde dehydrogenase activity; metal ion binding; nucleotide binding; oxidoreductase activity; protein

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



homodimerization activity; zinc ion binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA