

Recombinant Human Oxidized Low Density Lipoprotein (Lectin-like) Receptor 1

Cat. No. OLR1-2451H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human OLR1 consists of a single polypeptide chain corresponding to extracellular domain (58-273 aa) of the whole lectin-like oxidized lipoprotein receptor-1 (LOX-1) molecule without tags. It was produced in <i>E. coli</i> .
Species	Human
Source	E.coli
ProteinLength	58-273 a.a.
Description	LOX-1 is a receptor protein which belongs to the C-type lectin superfamily. Its gene is regulated through the cyclic AMP signaling pathway. The protein binds, internalizes and degrades oxidized low-density lipoprotein. This protein may be involved in the regulation of Fas-induced apoptosis. This protein may play a role as a scavenger receptor.
Purification	>92% pure. Ion-exchange chromatography.
Buffer	Lyophilized from 50mM Tris-HCl, pH 7.6, 150mM Sodium chloride.
Format	Purified, Lyophilized.
Applications	Calibrator or standard in immunoassays, immunogen for antibody production. Each laboratory should determine an optimum working titer for use in its particular

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

application. Other applications have not been tested but use in such assays should not necessarily be excluded.

Preservative

None.

Inactivation

Not applicable.

Storage

Store lyophilized product at -70°C. After reconstitution, aliquot and store at -70°C. Avoid multiple freeze/thaw cycles.

GENE INFORMATION

Gene Name

[OLR1 oxidized low density lipoprotein \(lectin-like\) receptor 1 \[Homo sapiens \]](#)

Synonyms

OLR1; oxidized low density lipoprotein (lectin-like) receptor 1; LOX1; LOXIN; SLOX1; CLEC8A; SCARE1; oxidized low-density lipoprotein receptor 1; hLOX-1; ox LDL receptor 1; lectin-type oxidized LDL receptor 1; scavenger receptor class E, member 1; C-type lectin domain family 8 member A; oxidized low-density lipoprotein receptor 1, soluble form; Lectin-like oxidized LDL receptor 1; Lectin-like oxLDL receptor 1; LOX-1; Oxidized low-density lipoprotein receptor 1, soluble form

Gene ID

[4973](#)

mRNA Refseq

[NM_001172632](#)

Protein Refseq

[NP_001166103](#)

MIM

[602601](#)

UniProt ID

[P78380](#)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Chromosome Location	12p13.2-p12.3
Pathway	PPAR signaling pathway
Function	low-density lipoprotein receptor activity; protein binding; receptor activity; sugar binding

PDB rendering based on 1ypo.

