

Recombinant Human FMO3 cell lysate

Cat. No. FMO3-660HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species

Human

Description

Flavin-containing monooxygenases (FMO) are an important class of drug-metabolizing enzymes that catalyze the NADPH-dependent oxygenation of various nitrogen-,sulfur-, and phosphorous-containing xenobiotics such as therapeutic drugs, dietary compounds, pesticides, and other foreign compounds. The human FMO gene family is composed of 5 genes and multiple pseudogenes. FMO members have distinct developmental- and tissue-specific expression patterns. The expression of this FMO3 gene, the major FMO expressed in adult liver, can vary up to 20-fold between individuals. This inter-individual variation in FMO3 expression levels is likely to have significant effects on the rate at which xenobiotics are metabolised and, therefore, is of considerable interest to the pharmaceutical industry. This transmembrane protein localizes to the endoplasmic reticulum of many tissues. Alternative splicing of this gene results in multiple transcript variants encoding the same protein. Mutations in this gene cause the disorder trimethylaminuria (TMAu) which is characterized by the accumulation and excretion of unmetabolized trimethylamine and a distinctive body odor. In healthy individuals, trimethylamine is primarily converted to the non odorous trimethylamine N-oxide

Size

100 ul

Storage Buffer

1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications Western Blot;

GENE INFORMATION

Gene Name FMO3 flavin containing monooxygenase 3 [Homo sapiens]

Official Symbol FMO3

Synonyms FMO3; flavin containing monooxygenase 3; dimethylaniline monooxygenase [N-oxide-forming] 3; FMO 3; FMO II; FMO form 2; dimethylaniline oxidase 3; hepatic flavin-containing monooxygenase 3; hepatic flavin-containing monooxygenase-3; TMAU; FMOII; dJ127D3.1; MGC34400;

Gene ID 2328

mRNA Refseq NM_001002294

Protein Refseq NP_001002294

MIM 136132

UniProt ID P31513

Chromosome Location 1q24.3

Pathway Biological oxidations, organism-specific biosystem; Drug metabolism - cytochrome P450, organism-specific biosystem; Drug metabolism - cytochrome P450, conserved biosystem; FMO oxidizes nucleophiles, organism-specific biosystem; Metabolism, organism-specific biosystem; Nicotine metabolism, organism-specific biosystem; Phase 1 - Functionalization of compounds, organism-specific biosystem;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Function

N,N-dimethylaniline monooxygenase activity; NADP binding; amino acid binding; flavin adenine dinucleotide binding; monooxygenase activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA