

Recombinant Human IFNA1 protein

Cat. No. IFNA1-07H Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant Human IFNA1 alpha 1b protein was expressed in Escherichia coli.
Species	Human
Source	E.coli
ProteinLength	167
Description	IFN- α s are proteins secreted by leukocyte. They are mainly involved in innate immune response against viral infection. The IFN- α family has 13 subtypes and 23 different variants. The individual proteins have molecular masses between 19-26 kDa and consist of proteins with lengths of 156-166 and 172 amino acids. All IFN- α subtypes possess a common conserved sequence region between amino acid positions 115-151 while the amino-terminal ends are variable. Many IFN-alpha subtypes differ in their sequences at only one or two positions. Naturally occurring variants also include proteins truncated by 10 amino acids at the carboxy-terminal end.
Form	Lyophilized from a 0.2 μ m filtered solution in PBS, pH 7.4, containing 4 % mannitol and 1 % HSA.
Bio-activity	Fully biologically active when compared to standard. The specific activity determined by an anti-viral assay is no less than 1.0×10^8 IU/mg.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Molecular Mass	Approximately 19.5 kDa, a single non-glycosylated polypeptide chain containing 167 amino acids.
AA Sequence	MCDLPETHSLDNRRTLMLLAQMSRISPSSCLMDRHDFGFPQEEFDGNQFQKAP AIS VLHELIQQIFNLFTTKDSSAAWDEDLLDKFCTELYQQLNDLEACVMQEERVGETPLM NVDSILAVKKYFRRITLYLTEKKYSPCAWEVVRAEIMRSLSLSTNLQERLRRKE
Endotoxin	Less than 1 EU/g of rHuIFN-α1b as determined by LAL method.
Purity	>96% by SDS-PAGE and HPLC analysis.
Storage	Use a manual defrost freezer and avoid repeated freeze-thaw cycles. 12 months from date of receipt, -20 to -70 centigrade as supplied. 1 month, 2 to 8 centigrade under sterile conditions after reconstitution. 3 months, -20 to -70 centigrade under sterile conditions after reconstitution.
Reconstitution	We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Reconstitute in sterile distilled water or aqueous buffer containing 0.1 % BSA to a concentration of 0.1-1.0 mg/mL. Stock solutions should be apportioned into working aliquots and stored at ≤-20 centigrade. Further dilutions should be made in appropriate buffered solutions.

GENE INFORMATION

Gene Name	IFNA1
Official Symbol	IFNA1
Synonyms	IFNA1; interferon, alpha 1; interferon alpha-1/13; IFL; IFN; IFN ALPHA; IFN alpha 1b; IFN alphaD; IFNA13; IFNA@; interferon alpha 1b; leIF D; IFN-alpha 1b; IFN-alpha-1/13; interferon-alpha1; interferon alpha-D; IFN-ALPHA; IFN-alphaD; MGC138207;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

MGC138505; MGC138507;

Gene ID 3439


mRNA Refseq NM_024013

Protein Refseq NP_076918

MIM 147660

UniProt ID P01562

SDS-PAGE of IFNA1-07H



 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA