

Recombinant Human ROR2 protein, hFc-tagged

Cat. No. ROR2-183H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human ROR2 protein(A1L4F5)(Val34-Gly403), fused with C-terminal hFc tag, was expressed in HEK293.
Species	Human
Source	HEK293
ProteinLength	Val34-Gly403
Tag	C-hFc
Form	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.
Bio-activity	Immobilized Human ROR2, hFc Tag at 1ug/ml (100ul/well) on the plate. Dose response curve for Biotinylated Anti-ROR2 Antibody, hFc Tag with the EC50 of 20.9ng/ml determined by ELISA.
Molecular Mass	The protein has a predicted MW of 68 kDa. Due to glycosylation, the protein migrates to 80-110 kDa based on Tris-Bis PAGE result.
Endotoxin	Less than 1EU per µg by the LAL method.
Purity	> 95% as determined by Tris-Bis PAGE;> 95% as determined by HPLC


 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127


 45-1 Ramsey Road, Shirley, NY 11967, USA

Storage	Reconstituted protein stable at -80°C for 12 months, 4°C for 1 week. Use a manual defrost freezer and avoid repeated freeze-thaw cycles.
Reconstitution	Centrifuge tubes before opening. Reconstituting to a concentration more than 100 µg/ml is recommended. Dissolve the lyophilized protein in distilled water.
GENE INFORMATION	
Gene Name	ROR2 receptor tyrosine kinase-like orphan receptor 2 [Homo sapiens]
Official Symbol	ROR2
Synonyms	ROR2; receptor tyrosine kinase-like orphan receptor 2; BDB, BDB1, NTRKR2; tyrosine-protein kinase transmembrane receptor ROR2; neurotrophic tyrosine kinase receptor-related 2; BDB; BDB1; NTRKR2; MGC163394;
Gene ID	4920
mRNA Refseq	NM_004560
Protein Refseq	NP_004551
MIM	602337
UniProt ID	Q01974

Tris-Bis PAGE



ELISA Data



Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA