

Human Blood Coagulation Factor VIII Reference standard

Cat. No. F8-25H **Lot. No.** (See product label)

SPECIFICATION

Product Overview

The Standard for Blood Coagulation Factor VIII:C, Concentrate, consists of glass ampoules, containing aliquots of a freeze-dried concentrate of plasma derived Factor VIII, formulated with human albumin. This standard is primarily intended to be used to calibrate secondary and/or in-house working Factor VIII concentrate standards.

Species

Human

Usage

The total contents of the ampoule should be reconstituted at room temperature with 1 ml distilled water, dissolved by gentle swirling to avoid froth and transferred immediately to a suitable plastic tube. No attempt should be made to weigh out any portion of the freeze-dried material. Although studies have shown the reconstituted standard to be stable for up to 3 hours when kept on melting ice, it is recommended that assays of FVIII:C be carried out as soon as possible after reconstitution. When using this standard to calibrate other concentrates, both standard and test concentrates MUST be pre-diluted in FVIII deficient plasma, either haemophilic plasma, or artificially depleted plasma containing normal levels of VWF, before making the assay dilutions. Assay dilution buffers should contain 1% albumin, preferably clinical grade.

Notes

This preparation is not for administration to humans. The preparation contains material of human origin, and either the final product or the source materials, from which it is derived, have been tested and found negative for HBsAg, anti-HIV and HCV RNA. The concentrate standard was prepared from pooled therapeutic concentrates which were manufactured from pools of human plasma in which every

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

donation as well as the pools were tested and found negative for HBsAg, anti-HIV 1 & 2, and anti-hepatitis C antibodies; in addition, the plasma pools were tested and found negative for hepatitis C RNA (NAT testing). The therapeutic concentrates had also undergone a virus inactivation procedure. The concentrate standard contains human albumin, clinical grade, which was also prepared from pools of human plasma in which every donation was tested and found negative for HBsAg, anti-HIV 1 and 2, and anti-hepatitis C antibodies. As with all materials of biological origin, this preparation should be regarded as potentially hazardous to health. It should be used and discarded according to your own laboratory's safety procedures. Such safety procedures should include the wearing of protective gloves and avoiding the generation of aerosols. Care should be exercised in opening ampoules or vials, to avoid cuts.

Stability

Reference materials are held at Creative Biomart within assured, temperature-controlled storage facilities. Reference Materials should be stored on receipt as indicated on the label. Accelerated degradation studies have shown that this standard is extremely stable both when stored at -20°C and at mailing temperatures. Predicted loss of FVIII activity when stored at -20°C was below 0.01% per year.

Storage

Unopened ampoules should be stored at -20°C. After reconstitution, any unused material must be discarded, not frozen for later use. Please note: because of the inherent stability of lyophilized material, Creative Biomart may ship these materials at ambient temperature.

GENE INFORMATION

Gene Name F8 coagulation factor VIII, procoagulant component [Homo sapiens];

Official Symbol F8

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Synonyms	F8; coagulation factor VIII, procoagulant component; F8C; coagulation factor VIII; DXS1253E; Factor VIIIF8B; FVIII; HEMA; hemophilia A; factor VIII F8B; antihemophilic factor; coagulation factor VIIIC; AHF; F8B;
Gene ID	2157
mRNA Refseq	NM_000132
Protein Refseq	NP_000123
MIM	300841
UniProt ID	P00451
Chromosome Location	Xq28
Pathway	Blood Clotting Cascade, organism-specific biosystem; Complement and Coagulation Cascades, organism-specific biosystem; Complement and coagulation cascades, organism-specific biosystem; Complement and coagulation cascades, conserved biosystem; Formation of Fibrin Clot (Clotting Cascade), organism-specific biosystem; Hemostasis, organism-specific biosystem; Intrinsic Pathway, organism-specific biosystem;
Function	copper ion binding; metal ion binding; oxidoreductase activity; protein binding;