

## Mouse Granulocyte Macrophage Colony Stimulating Factor (rDNA derived) Reference standard

**Cat. No.** Csf2-113M    **Lot. No.** (See product label)

### SPECIFICATION

#### Product Overview

|                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Species</b>     | Mouse                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Enzyme Unit</b> | The assigned potency is 100,000 arbitrary units per ampoule.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Usage</b>       | No attempt should be made to weigh out any portion of the freeze-dried material prior to reconstitution. Dissolve the total contents of the ampoule with 0.5ml of sterile distilled water. Rinse the ampoule with about 0.4ml of sterile distilled water and make up the total volume to 1ml. This solution will contain murine GM-CSF at a concentration of 100,000 units/ml. For further dilution include carrier protein.                                                                                                                                                                                                                                 |
| <b>Notes</b>       | This preparation is not for administration to humans. The preparation contains material of human origin, and either the final product or the source materials, from which it is derived, have been tested and found negative for HBsAg, anti-HIV and HCV RNA. As with all materials of biological origin, this preparation should be regarded as potentially hazardous to health. It should be used and discarded according to your own laboratorys safety procedures. Such safety procedures should include the wearing of protective gloves and avoiding the generation of aerosols. Care should be exercised in opening ampoules or vials, to avoid cuts. |
| <b>Stability</b>   | Reference materials are held at Creative Biomart within assured, temperature-controlled storage facilities and they should be stored on receipt as indicated on the label. An arbitrary unitage was assigned to this preparation at the time of production                                                                                                                                                                                                                                                                                                                                                                                                   |

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

without confirmation of long term stability. Evidence from similar materials prepared by an equivalent process indicates that long term stability is likely to be maintained and the material is suitably stable for shipment at ambient temperature without any effect on the assigned values. Once reconstituted, diluted or aliquoted, users should determine the stability of the material according to their own method of preparation, storage and use. Users who have data supporting any deterioration in the characteristics of any reference preparation are encouraged to contact Creative Biomart.

#### Storage

For economy of use, it is recommended that the solution be sub divided into several small aliquots and stored at -40°C or below. Unopened ampoules should be stored at -20°C. Please note: because of the inherent stability of lyophilized material, Creative Biomart may ship these materials at ambient temperature.

## GENE INFORMATION

**Gene Name** [Csf2 colony stimulating factor 2 \(granulocyte-macrophage\) \[ Mus musculus \]](#)

**Official Symbol** [Csf2](#)

#### Synonyms

Csf2; colony stimulating factor 2 (granulocyte-macrophage); Csfgm; Gm-CSf; MGI-IGM; MGC151255; MGC151257; granulocyte-macrophage colony-stimulating factor; CSF; put. GM-CSF; OTTMUSP00000005830; colony-stimulating factor; granulocyte-macrophage colony stimulating factor 2; granulocyte-macrophage colony stimulating factor; GMCSF; molgramostin; sargramostim; Molgramostin; MGC131935; Sargramostim; MGC138897

**Gene ID** [12981](#)

**mRNA Refseq** [NM\\_009969](#)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

|                            |                                                                                                                                                                                                                         |
|----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Protein Refseq</b>      | NP_034099                                                                                                                                                                                                               |
| <b>UniProt ID</b>          | P01587                                                                                                                                                                                                                  |
| <b>Chromosome Location</b> | 11 B1.3; 11 29.5 cM                                                                                                                                                                                                     |
| <b>Pathway</b>             | Amoebiasis; Cytokine Signaling in Immune system; Cytokine-cytokine receptor interaction; Cytokines and Inflammatory Response (BioCarta); Fc epsilon RI signaling pathway; HTLV-I infection; Hematopoietic cell lineage; |
| <b>Function</b>            | cytokine activity; granulocyte macrophage colony-stimulating factor receptor binding; growth factor activity                                                                                                            |

 Tel: 1-631-559-9269 1-516-512-3133 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127 45-1 Ramsey Road, Shirley, NY 11967, USA