

Active Recombinant Human CUL1/RBX1/SKP1

Cat. No. CUL1-147H Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant human CUL1 (amino acid residues 1-776), RBX1 (amino acid residues 1-108), SKP1 (amino acid residues 1-160) was expressed in Insect (Sf21) cells.
Species	Human
Source	Insect Cells
ProteinLength	1-776;1-108;1-160 a.a.
Description	Cullin-RING-Ligases (CRLs) are one largest class of ubiquitin E3 ligases and the enzymes of the NEDDylation pathway play a pivotal role in the activation of these, akin to ubiquitylation, the E1 activating enzyme (APP-BP1/UBA3 heterodimer) and the E2 conjugating enzymes (UBE2M or UBE2F) are involved in mammalian NEDDylation of the Cullin Ring Ligases (CRLs) (Meyer-Schaller et al., 2009; Huang et al., 2011; Morimoto et al., 2003).
Form	50 mM HEPES pH 7.5, 150 mM sodium chloride, 2 mM dithiothreitol, 10% glycerol
Bio-activity	E3 Ligase Assay: The activity of Cul1/Rbx1/Skp1 was validated indirectly through its ability to act as a substrate for Neddylation in the presence of the NEDD8 E3 ligase GST-DCNL1 and thioester-loaded His-Ube2M-NEDD8. Incubation of Cul1/Rbx1/Skp1 and thioester loaded His-Ube2M-NEDD8 in the presence or absence of GST-DCNL1 at 4°C was compared at two time points T0 and T2 minutes. Increased Neddylation of the Cul1 subunit in the presence of GST-DCNL1 was demonstrated.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Molecular Mass	Cul1: ~89.9 kDa; Rbx1: ~12.3 kDa; Skp1: ~18.3
Purity	>95% by InstantBlue™ SDS-PAGE
Storage	12 months at -70°C. Avoid multiple freeze/thaw cycles.
Concentration	0.5 mg/ml

GENE INFORMATION

Gene Name	CUL1 cullin 1 [Homo sapiens]
Official Symbol	CUL1
Synonyms	CUL1; cullin 1; cullin-1; CUL-1; MGC149834; MGC149835;
Gene ID	8454
mRNA Refseq	NM_003592
Protein Refseq	NP_003583
MIM	603134
UniProt ID	Q13616
Chromosome Location	7q36.1
Pathway	APC/C-mediated degradation of cell cycle proteins, organism-specific biosystem; Activation of NF-kappaB in B Cells, organism-specific biosystem; Adaptive Immune System, organism-specific biosystem; Antigen processing: Ubiquitination and

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Proteasome degradation, organism-specific biosystem; Canonical Wnt signaling pathway, organism-specific biosystem; Cell Cycle, organism-specific biosystem;

Function

protein binding; ubiquitin protein ligase binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA